

Weather Shield 6204/8204 Parts Reference Catalog

#1202614

Premium Windows & Doors

FOR PRODUCT PRODUCED AFTER 02/06

Casement	CASEMENT
Awning	AWNING
French Casement	FRENCH CASEMENT
Scena-Vu	SCENA-VU
Bow/Bay	BOW/BAY
*Mull/Stack *Transom *Picture	TRANSOM PICTURE
Order Form	ORDER
Measuring	MEASURING



TABLE OF CONTENTS:

Primed Casement Exploded View	1
Aluminum Clad Casement Exploded View	2
Casement Replacement Parts	3
Screen/Energy Panel Exploded View	9
Screen/Energy Panel Replacement Parts	10

DESCRIPTION:

Wood window with aluminum or wood exterior.

INTERIOR OPTIONS:

Species: Pine, Knotty Pine, American Fir, Oak, Cherry, Maple, Mahogany, Alder

Finish: Natural, Primed, Poly (Standard, Designer, or Custom Color)

EXTERIOR OPTIONS:

Wood: Natural, Primed, Poly (Standard, Designer, or Custom Color)

Clad: White, Cameo, Desert Tan, Western Adobe, Craftsman Bronze, Obsidian, Hartford Green, Designer Color, Cus-

tom Color, Anodized finish.

HARDWARE OPTIONS:

Bright Brass, Goldtone, White, Adobe, Oil Rubbed Bronze, Brushed Nickel, Brushed Chrome

DISTINGUISHING FEATURES:

- Aluminum and/or wood construction
- 4-9/16" jamb depth
- Wood interior

HOW TO ORDER A PART:

Identify the part using the **exploded view** and index. Locate the part in the **replacement parts** section using the **reference number** from the exploded view and index for a detailed part view and ordering information. Use the **configured number**, **extrusion number**, and/or **part number** shown next to your part to place your order. **When identifying replacement parts, unit must be viewed from the exterior.**

Exploded View: Drawings show part location and are accompanied by indexes that reference part descriptions. **Replacement Parts:** Sections contain detailed views of individual replacement parts and ordering information.

Reference Number: Shown in black boxes on the exploded views and listed numerically in the indexes. Parts appear sequen-

tially by reference number in the replacement parts sections.

Configured Number: Use to enter your order in CustomQuote™.*


Extrusion Number: Reference when placing an order with your Customer Relations Representative. Reference when placing an order with your Customer Relations Representative.

GLASS IDENTIFICATION CODE:

The glass code number references the date of manufacture, which is helpful in identifying the product.

When ordering warranty replacement glass, sash or panels, it is necessary to specify the glass identification code.


Markings are stamped on one of the four sides of the spacer which separates the two panes of glass. (see illustration at right)




www.weathershield.com

^{*} **NOTE:** Some configured numbers MAY NOT be active at the time of your order. CustomQuote™ software is updated regularly to accommodate new configured numbers. If a configured number is not active, please comment the part for ordering. Contact your Customer Relations Representative for assistance.






Parts Shown	Page
1 Exterior Trim	3
5 Subsill	3
7 Glazing Bead	4
8 Dual Seal Weatherstrip	4
9 Bulb Weatherstrip ¹	4
10 Bulb Weatherstrip ²	4
12 Sash Bracket	5
13 Operator	5-6
14 Hinge	6
15 Snubber	6
16 Operator Cover	6
18 Operator Handle	7
20 Keeper	8
21 Sash Lock	8
Tandem Lock Tie Bar ¹ For Head/Side ² For Operator Cover	8
Parts Not Shown	Page
11 Operator Track	4
17 Limit Stop	6
19 Handle Extension	7
23 Jamb Extension	8




Parts Shown	Page
7 Glazing Bead	4
8 Dual Seal Weatherstrip	4
9 Bulb Weatherstrip ¹	4
10 Bulb Weatherstrip ²	4
12 Sash Bracket	5
13 Operator	5-6
14 Hinge	6
15 Snubber	6
16 Operator Cover	6
18 Operator Handle	7
20 Keeper	8
21 Sash Lock	8
22 Tandem Lock Tie Bar	8
¹ For Head/Side	

	Parts Not Shown	Page
2	Exterior Trim	3
3	1" Brickmould Corner Key	3
4	Brickmould Corner Key	3
6	Subsill	3
11	Operator Track	4
17	Limit Stop	6
19	Handle Extension	7
22	Drip Cap	8
23	Jamb Extension	8







A) Configured Number: C1159706 B) Configured Number: C1159703 C) Configured Number: C11599703 D) Configured Number: C1159718 E) Configured Number: C741768




Part Number: 1162737




A) Configured Number: C963443
B) Configured Number: C968635
C) Configured Number: C968621
D) Configured Number: C968628
E) Configured Number: C963664
Extrusion Number: 1545
Extrusion Number: 1545
Extrusion Number: 04-2181



Part Number: 1162738




Configured Number: C310010




Configured Number: C968571 Extrusion Number: 1552






Configured Number:

(Putty) C311502 (Colonial) C110239




Configured Number: C750769 Extrusion Number: 60-4714




Configured Number: C740392 Extrusion Number: 2010



Configured Number: C761553 Extrusion Number: 5090









				Part N	umber				
Finish	Left			Right					
Finish	9-1/2"		13-	13-1/2"		9-1/2"		13-1/2"	
	Standard	Seacoast	Standard	Seacoast	Standard	Seacoast	Standard	Seacoast	
White	942125	942212	942139	942226	942132	942219	942146	942233	
Goldtone	942126	942213	942140	942227	942133	942220	942147	942234	
Adobe	942127	942214	942141	942228	942134	942221	942148	942235	
Bright Brass	942128	N/A	942142	N/A	942135	N/A	942149	N/A	
Oil Rubbed Bronze	942129	N/A	942143	N/A	942136	N/A	942150	N/A	
Brushed Nickel	942130	N/A	942144	N/A	942137	N/A	942151	N/A	
Brushed Chrome	942131	N/A	942145	N/A	942138	N/A	942152	N/A	
			Q	ARMLENGT	to CENTER				




13b Split Arm Operator


	Part Number				
Finish	Left		Right		
	Standard	Seacoast	Standard	Seacoast	
White	942111	942198	942118	942205	
Goldtone	942112	942199	942119	942206	
Adobe	942113	942200	942120	942207	
Bright Brass	942114	N/A	942121	N/A	
Oil Rubbed Bronze	942115	N/A	942122	N/A	
Brushed Nickel	942116	N/A	942123	N/A	
Brushed Chrome	942117	N/A	942124	N/A	
Brushed Chrome	942117	N/A	942124	N/A	








Part Number: 972524






972252

(Stainless Steel)


Drawings not to scale. 6 (5/06) www.weathershield.com







White Goldtone	941911	
Goldtone		
Colutorio	941907	
Adobe	941915	
Bright Brass	941917	
Oil Rubbed Bronze	941922	
Brushed Nickel	941918	
Brushed Chrome	941923	

dle
Part Number
972991
972268
972648
972393
941435
941436
941437








972068






Part Number: 972009

20b	Reinforce	d Keeper	(DP50 Upg	grade)
				Available in Stainless Steel only.
S NO	Contact your Cu.	stomer Relations I	Representative for or	Lefthand Shown _{dering.} Righthand Opposite


Part Number:	(Left)	982502
	(Right)	982503

21 Sash L	ock		
Finish	Part N	umber	
Finish	Left	Right	
Oil Rubbed Bronze	941423	941426	
Brushed Nickel	941424	941427	
Brushed Chrome	941425	941428	
Goldtone	972003	972000	
Bronze	972125	972126	
Bright Brass	972164	972165	
			Lefthand Shown Righthand Opposite

22 Tandem Lock Tie Bar		
Overall Length	Part Number	
25"	942291	<u> </u>
29"	942292	
33"	942293	H H
43"	942294	TENGTH
		OVERALL




Configured Number: C963395 Extrusion Number: 04-2064




Configured Number: (each) C1027663 (set) C010000-JES

















Part Number: 750763 Extrusion Number: 2023




Configured Number: C761554 Extrusion Number: 1018



Part Number: 972570



Part Number: (Bronze) 984095 (White) 984096



Configured Number: C983937