


Weather Shield®


Premium Series™

Special Shape Windows


CROSS SECTION DETAILS




PREMIUM DIRECT-SET SPECIAL SHAPE (8306)
Vertical Section - Colonial glazing bead




PREMIUM DIRECT-SET SPECIAL SHAPE
Stack Section




PREMIUM DIRECT-SET (8306)
Vertical Section - Simulated Sash (Cas)



PREMIUM DIRECT-SET (8306)
Vertical Section - Simulated Sash (DH)



PREMIUM DIRECT-SET SPECIAL SHAPE (8306)
Horizontal Section - Colonial glazing bead



PREMIUM DIRECT-SET SPECIAL SHAPE
Horizontal Mullion Section


Note: All dimensions are approximate. Weather Shield reserves the right to change specifications without notice.

Weather Shield®


Premium Series™

Special Shape Windows


CROSS SECTION DETAILS




PREMIUM DIRECT-SET SPECIAL SHAPE (8306)
Vertical Section - 6-9/16" jamb




PREMIUM DIRECT-SET SPECIAL SHAPE
Stack Section




PREMIUM DIRECT-SET (8306)
Vertical Section - Simulated Sash (Cas)



PREMIUM DIRECT-SET (8306)
Vertical Section - Simulated Sash (DH)



PREMIUM DIRECT-SET SPECIAL SHAPE (8306)
Horizontal Section - 6-9/16" jamb



PREMIUM DIRECT-SET SPECIAL SHAPE
Horizontal Mullion Section


Note: All dimensions are approximate. Weather Shield reserves the right to change specifications without notice.

Weather Shield®


Premium Series™

Special Shape Windows


CROSS SECTION DETAILS




PREMIUM DIRECT-SET SPECIAL SHAPE (8306)
Vertical Section - 3-1/16" jamb




PREMIUM DIRECT-SET SPECIAL SHAPE
Stack Section




PREMIUM DIRECT-SET (8306)
Vertical Section - Simulated Sash (Cas)



PREMIUM DIRECT-SET (8306)
Vertical Section - Simulated Sash (DH)



PREMIUM DIRECT-SET SPECIAL SHAPE (8306)
Horizontal Section - 3-1/16" jamb



PREMIUM DIRECT-SET SPECIAL SHAPE
Horizontal Mullion Section

Note: All dimensions are approximate. Weather Shield reserves the right to change specifications without notice.