

### Double Hung Tilt Windows (1104) Insulated Glass

Jamb Dimension	1'-5 1/2"	1'-11 1/2"	2'-5 1/2"	2'-7 1/2"	2'-9 1/2"	2'-11 1/2"	3'-1 1/2"	3'-5 1/2"	3'-11 1/2"
Rough Opening	1'-6"	2'-0"	2'-6"	2'-8"	2'-10"	3'-0"	3'-2"	3'-6"	4'-0"
Metric R.O. (mm)	457	610	762	813	864	914	965	1067	1219
Glass Size	12"	18"	24"	26"	28"	30"	32"	36"	42"

2'-11 1/2"									
3'-5 1/2"									
3'-11 1/2"									
4'-5 1/2"									
4'-7 1/2"									
4'-11 1/2"									
5'-1 1/2"									
5'-5 1/2"									
5'-11 1/2"									

■ Shaded units meet or exceed egress opening requirements per 2015 IBC (International Building Code) minimum dimensions of 20" [508mm] clear opening width, 24" [610mm] clear opening height, 5.7 sq. ft. [5295cm<sup>2</sup>] clear opening and floor to bottom of clear opening not to exceed 44" [1118mm] in height.


Verify local or state egress opening sizes with your local building inspector.

Floor to bottom of clear opening dimensions are based on 82" [2083mm] jamb height of Weather Shield French doors and center hinged French doors.

See Opening Specification chart for reference.

### Double Hung Tilt Windows (1104) Insulated Glass

Jamb Dimension	1'-5 1/2"	1'-11 1/2"	2'-5 1/2"	2'-7 1/2"	2'-9 1/2"	2'-11 1/2"	3'-1 1/2"	3'-5 1/2"	3'-11 1/2"
Rough Opening	1'-6"	2'-0"	2'-6"	2'-8"	2'-10"	3'-0"	3'-2"	3'-6"	4'-0"
Metric R.O. (mm)	457	610	762	813	864	914	965	1067	1219
Glass Size	12"	18"	24"	26"	28"	30"	32"	36"	42"



■ Shaded units meet or exceed egress opening requirements per 2015 IBC (International Building Code) minimum dimensions of 20" [508mm] clear opening width, 24" [610mm] clear opening height, 5.7 sq. ft. [5295cm<sup>2</sup>] clear opening and floor to bottom of clear opening not to exceed 44" [1118mm] in height.

Verify local or state egress opening sizes with your local building inspector.

Floor to bottom of clear opening dimensions are based on 82" [2083mm] jamb height of Weather Shield French doors and center hinged French doors.

See Opening Specification chart for reference.